

**Werkstoff / Raw Material:**

rostfreier Stahl / stainless steel

**Anschluss / Connection:** AO**Abmessungen / Dimensions**

Arbeitsteil / Working Part		Nutzlänge Useable Length	Gesamtlänge Total Length	Art.Nr. Art.No.
Ø Ø mm	Länge Length mm			
1,1	20,0	35,0	60,0	40060/20/011
1,5	30,0	60,0	85,0	40085/30/015
1,5	30,0	85,0	110,0	40110/30/015
1,5	30,0	100,0	125,0	40125/30/015
1,6	30,0	75,0	100,0	40100/30/016
1,8	30,0	75,0	100,0	40100/30/018
2,0	30,0	75,0	100,0	40100/30/020
2,0	30,0	100,0	125,0	40125/30/020
2,4	30,0	75,0	100,0	40100/30/024
2,5	30,0	85,0	110,0	40110/30/025
2,5	50,0	155,0	180,0	40180/50/025
2,7	30,0	75,0	100,0	40100/30/027
2,7	30,0	100,0	125,0	40125/30/027
3,2	40,0	120,0	145,0	40145/40/032
3,2	50,0	170,0	195,0	40195/50/032
3,2	50,0	200,0	225,0	40225/50/032
3,5	30,0	85,0	110,0	40110/30/035
3,5	50,0	170,0	195,0	40195/50/035
4,0	50,0	200,0	225,0	40225/50/040
4,5	40,0	120,0	145,0	40145/40/045
4,5	50,0	170,0	195,0	40195/50/045
6,0	50,0	170,0	195,0	40195/50/060

Auf Anfrage sind auch andere Abmessungen lieferbar / Other dimensions are available on request



**Werkstoff / Raw Material:**  
rostfreier Stahl / stainless steel

**Anschluss / Connection:** **Stryker**



Abmessungen / Dimensions			
Arbeitsteil / Working Part			
Ø	Länge	Gesamtlänge	Art.Nr.
Ø	Length	Total Length	Art.No.
mm	mm	mm	
0,6	4,5	50,0	46050/04/006
0,7	6,5	50,0	46050/06/007
0,8	6,5	50,0	46050/06/008
0,8	6,5	105,0	46105/06/008
1,0	12,0	50,0	46050/12/010
1,0	15,0	83,0	46083/15/010
1,1	7,0	45,0	46045/07/011
1,1	9,0	45,0	46045/09/011
1,3	5,0	47,0	46047/05/013
1,3	8,0	50,0	46050/08/013
1,3	12,0	50,0	46050/12/013
1,4	26,0	94,0	46094/26/014
1,5	4,0	50,0	46050/04/015
1,5	6,0	50,0	46050/06/015
1,5	18,0	50,0	46050/18/015
1,5	12,0	70,0	46070/12/015
1,5	20,0	70,0	46070/20/015
1,6	7,0	50,0	46050/07/016
1,6	9,0	50,0	46050/09/016
1,6	20,0	50,0	46050/20/016
1,6	7,0	70,0	46070/07/016
1,6	20,0	105,0	46105/20/016
1,7	5,0	50,0	46050/05/017
1,7	7,0	50,0	46050/07/017
1,8	26,0	58,0	46058/26/018
1,9	26,0	94,0	46094/26/019
2,0	22,0	85,0	46085/22/020
2,0	20,0	105,0	46105/20/020
2,0	35,0	105,0	46105/35/020
2,5	26,0	94,0	46094/26/025

Auf Anfrage sind auch andere Abmessungen lieferbar / Other dimensions are available on request

**Werkstoff / Raw Material:**

rostfreier Stahl / stainless steel

**Anschluss / Connection:** **Dental****Abmessungen / Dimensions**

Arbeitsteil / Working Part		Gesamtlänge Total Length	Art.Nr. Art.No.
Ø Ø mm	Länge Length mm		
0,8	4,0	30,0	42030/04/008
1,0	4,0	30,0	42030/04/010
1,0	15,0	66,0	42066/15/010
1,1	11,0	28,0	42028/11/011
1,1	27,5	44,5	42044/27/011
1,3	4,0	21,0	42021/04/013
1,3	8,0	21,0	42021/08/013
1,3	5,0	47,0	42047/05/013
1,4	26,0	77,0	42077/26/014
1,5	11,0	28,0	42028/11/015
1,5	20,0	44,5	42044/20/015
1,5	27,5	44,5	42044/27/015
1,5	12,0	45,0	42045/12/015
1,5	35,0	52,0	42052/35/015
1,5	50,0	67,0	42067/50/015
1,5	20,0	70,0	42070/20/015
1,5	22,0	85,0	42085/22/015
1,5	24,0	125,0	42125/24/015
1,8	5,0	50,0	42050/05/018
1,8	7,0	50,0	42050/07/018
1,9	26,0	77,0	42077/26/019
2,0	12,0	45,0	42045/12/020
2,0	11,0	28,0	42028/11/020
2,0	27,0	44,0	42044/27/020
2,0	35,0	52,0	42052/35/020
2,0	50,0	67,0	42067/50/020
2,0	22,0	85,0	42085/22/020
2,0	22,0	125,0	42125/22/020
2,5	26,0	77,0	42077/26/025
2,7	11,0	28,0	42028/11/027
2,7	50,0	67,0	42067/50/027

Auf Anfrage sind auch andere Abmessungen lieferbar / Other dimensions are available on request



**Werkstoff / Raw Material:**  
rostfreier Stahl / stainless steel

**Anschluss / Connection:**  
Rund / Round

**Anschluss / Connection:**  
Dreikant / Triangular



Abmessungen / Dimensions			
Arbeitsteil Working Part		Gesamtlänge Total Length	Art.Nr. Art.No.
Ø Ø	Länge Length		
mm	mm	mm	
1,1	15,0	35,0	41035/15/011
1,5	30,0	60,0	41060/30/015
2,0	30,0	75,0	41075/30/020
2,5	30,0	75,0	41075/30/025
2,5	40,0	95,0	41095/40/025
2,5	50,0	135,0	41135/50/025
2,7	30,0	75,0	41075/30/027
3,0	50,0	180,0	41180/50/030
3,2	50,0	180,0	41180/50/032
3,5	50,0	180,0	41180/50/035
4,0	50,0	180,0	41180/50/040
4,5	50,0	180,0	41180/50/045
5,0	50,0	180,0	41180/50/050
5,5	50,0	180,0	41180/50/055
6,0	50,0	180,0	41180/50/060
6,5	50,0	180,0	41180/50/065
7,0	50,0	180,0	41180/50/070
7,5	50,0	180,0	41180/50/075
8,0	50,0	180,0	41180/50/080
8,5	50,0	180,0	41180/50/085
9,0	50,0	180,0	41180/50/090
9,5	50,0	180,0	41180/50/095
10,0	50,0	180,0	41180/50/100

Abmessungen / Dimensions			
Arbeitsteil Working Part		Gesamtlänge Total Length	Art.Nr. Art.No.
Ø Ø	Länge Length		
mm	mm	mm	
3,0	50,0	180,0	43180/50/030
3,2	50,0	180,0	43180/50/032
3,5	50,0	180,0	43180/50/035
4,0	50,0	180,0	43180/50/040
4,5	50,0	180,0	43180/50/045
5,0	50,0	180,0	43180/50/050
5,5	50,0	180,0	43180/50/055
6,0	50,0	180,0	43180/50/060
6,5	50,0	180,0	43180/50/065
7,0	50,0	180,0	43180/50/070
7,5	50,0	180,0	43180/50/075
8,0	50,0	180,0	43180/50/080
8,5	50,0	180,0	43180/50/085
9,0	50,0	180,0	43180/50/090
9,5	50,0	180,0	43180/50/095
10,0	50,0	180,0	43180/50/100

Auf Anfrage sind auch andere Abmessungen lieferbar / Other dimensions are available on request